SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : TIM FISHER`S SOFT PASTEL LIQUEFIER

Product code : N335100.250.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : GLOBAL ART SUPPLIES LTD.

Address : Unit 2, High Post Business Park, High Post, Salisbury, Wiltshire, SP4 6AT..Salisbury.United Kingdom. Telephone : +44 (0) 1980 625 625. Fax : +44 (0) 1980 625 620.

1.4. Emergency telephone number : .

Association/Organisation : .

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 2 (Flam. Liq. 2, H225).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



| GHS02 | |
|---|--|
| Signal Word : | |
| DANGER | |
| Hazard statements : | |
| H225 | Highly flammable liquid and vapour. |
| Precautionary statements - Prevention : | |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| Precautionary statements - Response : | |
| P370 + P378 | In case of fire: Use to extinguish. |
| Precautionary statements - Storage : | |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| Precautionary statements - Disposal : | |
| P501 | Dispose of contents/container to |
| | |

TIM FISHER'S SOFT PASTEL LIQUEFIER - N335100.250

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) $\geq 0.1\%$ published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

| Composition : | | | |
|---------------------|---------------------|------|-----------------|
| Identification | (EC) 1272/2008 | Note | % |
| CAS: 64-17-5 | GHS07, GHS02 | [1] | 50 <= x % < 100 |
| EC: 200-578-6 | Dgr | | |
| | Flam. Liq. 2, H225 | | |
| ETHANOL | Eye Irrit. 2, H319 | | |
| INDEX: 603-001-00-X | GHS02, GHS06, GHS08 | [1] | 2.5 <= x % < 10 |
| CAS: 67-56-1 | Dgr | | |
| EC: 200-659-6 | Flam. Liq. 2, H225 | | |
| | Acute Tox. 3, H331 | | |
| METHANOL | Acute Tox. 3, H311 | | |
| | Acute Tox. 3, H301 | | |
| | STOT SE 1, H370 | | |
| INDEX: 603-117-00-0 | GHS02, GHS07 | [1] | 2.5 <= x % < 10 |
| CAS: 67-63-0 | Dgr | | |
| EC: 200-661-7 | Flam. Liq. 2, H225 | | |
| | Eye Irrit. 2, H319 | | |
| PROPAN-2-OL | STOT SE 3, H336 | | |

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

In the event of swallowing :

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

TIM FISHER`S SOFT PASTEL LIQUEFIER - N335100.250

- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

The mixture can become electrostatically charged : always earth during decanting operations. Wear antistatic shoes and clothing and floors should be electrically conductive.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) GLOBAL ART SUPPLIES LTD

TIM FISHER'S SOFT PASTEL LIQUEFIER - N335100.250

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Notes :

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

| - European Union (200 | 9/161/EU, 2006 | /15/EC, 2000/39 | 9/EC, 98/24/EC) | |
|-----------------------|----------------|-----------------|-----------------|-----------|
| CAS | VME-mg/m3 : | VME-ppm : | VLE-mg/m3: | VLE-ppm : |
| 67-56-1 | 260 | 200 | _ | _ |

| 67-56-1 | 260 | 200 | - | - | Peau | | | |
|---|----------------|--------------|-----------|---------------|--------------|----------|--|--|
| - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : | | | | | | | | |
| CAS | TWA: | STEL : | Ceiling : | Definition : | Criteria : | | | |
| 64-17-5 | 1000 ppm | - | - | - | - | | | |
| 67-56-1 | 200 ppm | 250 ppm | - | - | - | | | |
| 67-63-0 | 200 ppm | 400 ppm | - | - | - | | | |
| - Germany - AGW (BA) | uA - TRGS 900, | 21/06/2010): | | | | | | |
| CAS | VME : | VME : | Excess | Notes | | | | |
| 64-17-5 | 500 ml/m3 | 960 mg/m3 | 2(II) | DFG. Y | | | | |
| 67-56-1 | 200 ml/m3 | 270 mg/m3 | 4(II) | DFG, EU, H, Y | , | | | |
| 67-63-0 | 200 ml/m3 | 500 mg/m3 | 2(II) | DFG, Y | | | | |
| - France (INRS - ED984 | 4 :2012) : | | | | | | | |
| CAS | VME-ppm : | VME-mg/m3 : | VLE-ppm : | VLE-mg/m3: | Notes : | TMP No : | | |
| 64-17-5 | 1000 | 1900 | 5000 | 9500 | - | 84 | | |
| 67-56-1 | 200 | 260 | 1000 | 1300 | (12) | 84 | | |
| 67-63-0 | - | - | 400 | 980 | - | 84 | | |
| - UK / WEL (Workplace exposure limits, EH40/2005, 2007) : | | | | | | | | |
| CAS | TWA: | STEL : | Ceiling : | Definition : | Criteria : | | | |
| 64-17-5 | 1000 ppm | - | - | - | - | | | |
| 67-56-1 | 200 ppm | 250 ppm | - | - | - | | | |
| 67-63-0 | 400 ppm | 500 ppm | - | - | - | | | |
| | | | | | | | | |

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

TIM FISHER'S SOFT PASTEL LIQUEFIER - N335100.250

Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas. - Eye / face protection

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended :

- PVA (Polyvinyl alcohol)

- Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

| General information : | |
|--|---------------------------|
| Physical state : | Viscous liquid. |
| Important health, safety and environmental information | |
| pH : | Not stated. |
| | Neutral. |
| Boiling point/boiling range : | > 35°C |
| Flash Point Interval : | $PE < 23^{\circ}C$ |
| Vapour pressure (50°C) : | Below 110 kPa (1.10 bar). |
| Density : | > 1 |
| Water solubility : | Insoluble. |
| Melting point/melting range : | Not specified. |
| Self-ignition temperature : | Not specified. |
| Decomposition point/decomposition range : | Not specified. |
| 9.2. Other information | |
| N | |

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid :

- accumulation of electrostatic charges.
- heating

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) GLOBAL ART SUPPLIES LTD

TIM FISHER`S SOFT PASTEL LIQUEFIER - N335100.250

- heat

- flames and hot surfaces

10.5. Incompatible materials

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

No toxicological data available for the substances.

11.1.2. Mixture

Serious damage to eyes/eye irritation :

No observed effect.

Corneal haze :

Average score < 1

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

TIM FISHER'S SOFT PASTEL LIQUEFIER - N335100.250

SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2016).

14.1. UN number

1170

14.2. UN proper shipping name

UN1170=ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es)

- Classification :



3

14.4. Packing group

Π

14.5. Environmental hazards

14.6. Special precautions for user

| ADR/RID | Class | Code | Pack gr. | Label | Ident. | LQ | Provis. | EQ | Cat. | Tunnel |
|---------|-------|---------|----------|-------|---------|---------|---------|----|------|--------|
| | 3 | F1 | II | 3 | 33 | 1 L | 144 601 | E2 | 2 | D/E |
| | | | | | | | | | | |
| IMDG | Class | 2°Label | Pack gr. | LQ | EMS | Provis. | EQ | | | |
| | 3 | - | II | 1 L | F-E,S-D | 144 | E2 |] | | |

| | | | | | | | - | | |
|------|-------|---------|----------|----------|----------|-------|-------|--------|----|
| IATA | Class | 2°Label | Pack gr. | Passager | Passager | Cargo | Cargo | note | EQ |
| | 3 | - | II | 353 | 5 L | 364 | 60 L | A3 A58 | E2 |
| | | | | | | | | A180 | |
| | 3 | - | II | Y341 | 1 L | - | - | A3 A58 | E2 |
| | | | | | | | | A180 | |

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

- Container information:

No data available.

- Particular provisions :

No data available.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) GLOBAL ART SUPPLIES LTD

Version 1.1 (19/07/2016) - Page 8/8

TIM FISHER`S SOFT PASTEL LIQUEFIER - N335100.250

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=0 Inflammability=3 Instability/Reactivity=1 Specific Risk=none



- Swiss ordinance on the incentive tax on volatile organic compounds :

- 64-17-5éthanol, seulement s'il s'agit d'alcools impropres à la consommation (art. 31 de la loi fédérale sur l'alcool)67-63-0propane-2-ol (alcool isopropylique)67-56-1méthanol (alcool méthylique)

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

| H225 | Highly flammable liquid and vapour. |
|------|-------------------------------------|
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H370 | Causes damage to organs . |

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS02 : Flame

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.