#### Product Name: LIQUITEX® POURING MEDIUM Product Family: 1. Chemical Product and Company Identification

Colart Americas, Inc. 11 Constitution Avenue PO Box 1396 Piscataway, Nj 08855 1-800-445-4278 EMERGENCY TELEPHONE NUMBER: 1-800-628-3385

SUBSTANCE: LIQUITEX® POURING MEDIUM

PRODUCT USE: Arts and Crafts

CREATION DATE: 13 July 2006

# 2. Composition, Information on Ingredients

COMPONENT: Product complies with LHAMA and conforms to ASTM D-4236 Standard Practice for Labeling Art Materials for Acute and Chronic Adverse Health Hazards. CAS NUMBER: Not assigned. EC NUMBER: Not assigned. PERCENTAGE: 100

# 3. Hazards Identification

EC CLASSIFICATION (CALCULATED): Not classified

EMERGENCY OVERVIEW:

PHYSICAL FORM: Translucent liquid

ODOR: fruity odor

MAJOR HEALTH HAZARDS: No significant target effects reported.

#### POTENTIAL HEALTH EFFECTS:

INHALATION: none

SKIN CONTACT: none

EYE CONTACT: none

INGESTION: none

CARCINOGEN STATUS:

OSHA: No NTP: No

IARC: No

# 4. First Aid Measures

INHALATION:

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

SKIN CONTACT:

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of

water. Get medical attention, if needed.

#### EYE CONTACT:

It is unlikely that emergency treatment will be required. Wash with large amounts of water or normal saline until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately. INGESTION: Contact local poison control center or physician immediately.

### 5. Fire Fighting Measures

FIRE AND EXPLOSION HAZARDS: Slight fire hazard.

EXTINGUISHING MEDIA: regular dry chemical, carbon dioxide, water, regular foam

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

FLASH POINT: No data available.

### 6. Accidental Release Measures

#### OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

### 7. Handling and Storage

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

#### 8. Exposure Controls, Personal Protection

EXPOSURE LIMITS:

LIQUITEX(R) ACRYLIC HEAVY GEL MEDIUM: No occupational exposure limits established.

VENTILATION: Based on available information, additional ventilation is not required.

EYE PROTECTION: Eye protection not required under normal conditions.

CLOTHING: Protective clothing is not required under normal conditions.

GLOVES: Protective gloves are not required under normal conditions.

RESPIRATOR: No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

# 9. Physical and Chemical Properties

PHYSICAL STATE: liquid

TEXTURE: viscous

ODOR: fruity odor

BOILING POINT: > 100 C

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Air = 1 > 1

SPECIFIC GRAVITY: > 1

WATER SOLUBILITY: Miscible

PH: 8-9

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: BuAc = 1 < 1

# 10. Stability and Reactivity

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials

HAZARDOUS DECOMPOSITION: Thermal decomposition products: oxides of carbon, various organic fragments

POLYMERIZATION: Will not polymerize.

**11. Toxicological Information** Not available

**12. Ecological Information** Not available

13. Disposal Considerations

Dispose in accordance with all applicable regulations.

## 14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID: No classification assigned.

AIR TRANSPORT IATA/ICAO: No classification assigned.

MARITIME TRANSPORT IMDG: No classification assigned.

## 15. Regulatory Information

U.S. REGULATIONS: **TSCA INVENTORY STATUS:** Yes TSCA 12(b) EXPORT NOTIFICATION: Not listed. CERCLA SECTION 103 (40CFR302.4): No SARA SECTION 302 (40CFR355.30): No SARA SECTION 304 (40CFR355.40): No SARA SECTION 313 (40CFR372.65): No SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21): ACUTE: No CHRONIC: No FIRE: No REACTIVE: No SUDDEN RELEASE: No OSHA PROCESS SAFETY (29CFR1910.119): No STATE REGULATIONS: California Proposition 65: No EUROPEAN REGULATIONS: EC NUMBER:

Not applicable 16. Other Information

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.